

weezago

WEEZAGO SETUP WEBOS SIGNAGE 3.0



www.weezago.com

WEEZAGO SETUP / WEBOS SIGNAGE 3.0

What do I need?


To configure your display, you will need an LG webOS 3.0 panel.

You will require the following in order to complete the setup:


- Remote control
- Connected USB Keyboard (optional)
- Internet Connection to either a wired or wireless network
- Supported Platform WebOS Signage 3.0 and Later

Complete the process as follow:

- Power on your LG webOS 3.0 display.




- Select the language in which to proceed.
- Select the continent in which your display will be used.
- Select the country in which your display will be used.
- Select the timezone in which the display will be used.
- Select «OK».




- Select the orientation of the screen.
- Select «NEXT».

WEEZAGO SETUP / WEBOS SIGNAGE 3.0



- Select the Internet Connection Type (Wired or Wireless).





- Select «**DONE**».

➔ Base configuration is done, you have to go to the Server Settings page.


WEEZAGO SETUP / WEBOS SIGNAGE 3.0

- From the «Source» menu, hold the «Settings» button on your remote control for 5 seconds
- When the chat bubble icon appears on top right, press «8, 0, 8, 0, OK» on your remote control to access the «Server» settings page




- Change «Application Launch Mode» to «Local»

WEEZAGO SETUP / WEBOS SIGNAGE 3.0




- Turn «**On**» «Fully Qualified Domain Name»




- Using either your keyboard or remote control type in the **Weezago WebOS Specific URL:**
<http://webos.weezago.com/app.ipk>

WEEZAGO SETUP / WEBOS SIGNAGE 3.0




- Select «Application Type» and change to «**IPK**»




- Select «Local Application Upgrade» and change to «**Remote**»

WEEZAGO SETUP / WEBOS SIGNAGE 3.0




- Select «**Confirm**»
- Select «**OK**»
- Turn display on and off again



- With the **HOME** button select **Weezago**

WEEZAGO SETUP / WEBOS SIGNAGE 3.0



- Follow the instruction :
 - Chose between 0° / 90° / 270° / 180° orientation with left/right arrows.
 - Enter Code Licence



- At the end hit «**OK**» the screen reboot automatically : Congratulation! Installation is done.

To change orientation on screen with Weezago installed:

At Weezago BOOT screen (white background + Weezago Logo and WebOS Logo) hit «**0**» on remote control.

- Chose between 0° / 90° / 270° / 180° orientation with left/right arrows.
- Confirm the new orientation with «**OK**» twice
- The screen reboot automatically.